KINESISDx

TECHNICAL DATA SHEET

Cat No: Kab06000

Product Particulars: anti-OPTN-antibody

Pack Size: 100μg

Pack Size: Pack Size: 100μg

Purify: Protein A+G purification

Host: Mouse

Isotype: IgG1

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3 , -20℃ for 24 months (Avoid repeated freeze / thaw cycles.)

Background (Function): Plays an important role in the maintenance of the Golgi complex, in membrane trafficking, in exocytosis, through its interaction with myosin VI and Rab8. Links myosin VI to the Golgi complex and plays an important role in Golgi ribbon formation. Negatively regulates the induction of IFNB in response to RNA virus infection. Plays a neuroprotective role in the eye and optic nerve. Probably part of the TNF-alpha signaling pathway that can shift the equilibrium toward induction of cell death. May act by regulating membrane trafficking and cellular morphogenesis via a complex that contains Rab8 and hungtingtin (HD). Mediates the interaction of Rab8 with the probable GTPase-activating protein TBC1D17 during Rab8-mediated endocytic trafficking, such as of transferrin receptor (TFRC/TfR); regulates Rab8 recruitnment to tubules emanating from the endocytic recycling compartment. Autophagy receptor that interacts directly with both the cargo to become degraded and an autophagy modifier of the MAP1 LC3 family; targets ubiquitin-coated bacteria (xenophagy), such as cytoplasmic Salmonella enterica, and appears to function in the same pathway as SQSTM1 and CALCOCO2/NDP52. May constitute a cellular target for adenovirus E3 14.7, an inhibitor of TNF-alpha functions, thereby affecting cell death.

Immunogen: optineurin

Synonyms: FIP2, GLC1E, HIP7, HYPL, NRP

Calculated MW:

Uniprot ID: Q96CV9

Specificity: Human

Tested Application: ELISA,WB

Recommended Dilution:

Gene ID: 10133

Gene Location:

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

OUR KINESISDX COMMITMENT : GUARANTEED QUALITY WITH EXPERT TECHNICAL SUPPORT